

THE MODERNIQUE COLLECTION

Black Interiors with Polished Brass Switching


The elegance of **Smooth Black** plates in various designs, together with superior UK manufactured interiors, enable *Primalite* to offer the finest in quality electrical accessories.

Designed to compliment any style of interior setting and type of property THE MODERNIQUE COLLECTION is available in all the plate designs illustrated below.

To order: Select a plate style from the selection below and using the plate prefix add the interior number. Therefore, a Flat Victorian 2 Gang Rocker Switch should be ordered as PV409

Plate design codes


- PG** Georgian - Smooth Black
- PST** Edwardian - Smooth Black
- PV** Flat Victorian - Smooth Black
- TR** Tudor - Smooth Black



MODERNIQUE

Rocker Switches Polished Brass Switches with Black Trim

When ordering, prefix code number with plate design ie 3 gang 10 amp 2 way Rocker on a small Tudor plate is TR4113



PG (Georgian)




20 amp 2 way		407	409		411	412
20 amp intermediate		408	410			
20 amp double pole		4131				
20 amp double pole c/w neon	413					
20 amp 2 way & off		4132				
6 amp retractive		4133				
6 amp 2 way & off retractive		4134				
10 amp 2 way				4113		

N.B. The 4113 ~ 3 gang rocker on small plate has the insert riveted onto the plate. All other rocker switches offer first and second stage grid fixing.




PST (Edwardian)



20 amp 2 way	467	468	469	470
	467 & 468 available only in PG-TR designs (168mm x 168mm) and PV design (147mm x 147mm) Grid box to suit PMA6 (133mm x 133mm)		469 & 470 available in PV design only (210mm x 147mm) Grid box to suit PMA7 (194mm x 133mm)	



PV (Flat Victorian)



TR (Tudor)

20 amp 2 way	463	464	465	466
All architrave switches are supplied c/w grid boxes	463 available in PG-PV-TR designs	464, 465 & 466 available in PV design only		

MODERNIQUE

Dimmer Switches suitable for control of dimmable electronic transformers, toroidal transformers and tungsten halogen lamps **without de-rating**. For use with **resistive and inductive** loads. Integrated over-temperature protection fuse. The module case is ultrasonically sealed to reduce dimmer buzzing.



PG (Georgian)

Polished Brass Dimmer Knobs




2 way 250va push on/push off	418	422		424	425
2 way 400va push on/push off	419	423	430	481	4150
2 way 650va push on/push off with neon indicator *	4269		4270		
2 way 800va push on/push off with neon indicator *	4271		4272		
intermediate switch module	473				
fan control	499				
6amp 2 way push on/push off switch module	4214	4215		4216	4217
1 way 500va touch on/touch off module, illuminated	4273				




PST (Edwardian)

* If modules 4269, 4270, 4271, 4272 are required without a neon, then please specify.

Polished Brass Dimmer Knobs



2 way 400va push on/push off	4135	4136	4137	4138
	4135 & 4136 available in PG-TR designs (168mm x 168mm) and PV design (147mm x 147mm) Grid box to suit PMA6 (133mm x 133mm)		4137 & 4138 available in PV design only (210mm x 147mm) Grid box to suit PMA7 (194mm x 133mm)	



PV (Flat Victorian)


Dimmer / Rocker Combinations

Polished Brass Rocker Switches with Black Trim. Polished Brass Dimmer Knobs



1 x rocker 1 x dimmer	4100		
2 x rockers 1 x dimmer		4101	
1 x rocker 2 x dimmers			4102
20amp 2 way rocker switches with 400va dimmer modules			

Also available to special order as **Dolly / Dimmer combinations**



TR (Tudor)

N.B. When using PV Flat Victorian plates, it is imperative that the grid box used is secured below plaster depth. This is to accommodate the construction of the plate and insert, so allowing the plate to sit flush to the wall.

MODERNIQUE

Polished Brass Dolly Switches

When ordering, prefix code number with plate design
ie Shaver Socket on a Flat Victorian plate is PV462



PG (Georgian)



20 amp 2 way	472	401	403	405	406
20 amp intermediate		402	404		
20 amp double pole		436			
20 amp 2 way & off		442			

NB. 472 Architrave Dolly Switch is available in PG-TR (84mm x 32mm) and PV(83mm x 30mm) designs. All Architraves are supplied c/w grid boxes



PST (Edwardian)



20 amp 2 way	456	457	458	4108	4109
456, 457 and 458 are available in PG-TR designs (168mm x 168mm) and PV design (147mm x 147mm) grid box to suit is PMA6 (133mm x 133mm)			4108 and 4109 are only available in PV design (210mm x 147mm) grid box to suit is PMA7 (194mm x 133mm)		

Miscellaneous Accessories Black Interiors

(Cooker Switches/Socket ~ Shaver Sockets ~ Fan Isolator ~ Flex Outlet)




PV (Flat Victorian)

Vertical Cooker
45amp double pole c/w neon



461

Horizontal Cooker
45amp double pole + 13amp
switched socket



4266

Cooker
45amp double pole c/w neon
(red rocker switch)




4228

Triple Pole Fan Isolator



4267

Shaver Socket
115 / 230 volts



462

Cord Flex Outlet



474



TR (Tudor)

MODERNIQUE

Fuse & Switched Fuse Connections Polished Brass Rockers with Black Interiors

Fuse Interiors



Fuse	Fuse with cable outlet	Fuse Illuminated	Fuse with cable outlet. Illuminated
433	4160	4162	4163

Switched Fuse Interiors



Switched Fuse	Switched Fuse with cable outlet	Switched Fuse Illuminated	Switched Fuse with cable outlet. Illuminated
487	4161	415	414



PG (Georgian)


Audio Connections Black Interiors

Speaker Outlet DIN 41529 screw terminals




4230	4264
-------------	-------------

Banana Stereo Outlet. Fixings via gold plated knurled binding post, or banana face



440	441
------------	------------




PST (Edwardian)

RCA Phono Stereo Outlet



One port red	One port black	Two ports 1 red 1 black
437	438	439



PV (Flat Victorian)

Bell Pushes 250v 6amp AC



4169	4168
-------------	-------------

4169 architrave bell push is supplied c/w grid box. available in PG-PV-TR designs

Blank Plates



416	417
------------	------------



TR (Tudor)

N.B. When using PV Flat Victorian plates, it is imperative that the grid box used is secured below plaster depth. This is to accommodate the construction of the plate and insert, so allowing the plate to sit flush to the wall.


MODERNIQUE

Sockets Black Interiors. NB. All hinge flaps are available in PV design only.




PG (Georgian)


2 amp Unswitched Sockets



5 amp Unswitched Sockets




15 amp Unswitched Sockets




PST (Edwardian)

13 amp Switched Sockets

Polished Brass Switches with Black Trim



13 amp Unswitched Sockets




PV (Flat Victorian)


International Sockets Black Interiors.

NB. Italian, Greek, Australian and Swiss sockets are available to special order

French Sockets




German Sockets



TR (Tudor)

USA Sockets



MODERNIQUE

Telecommunication Sockets Black Interiors. When ordering, prefix code number with plate design ie 1 gang RJ11 Telecom on a Georgian plate is PG4248



PG (Georgian)

Slave Telecom

4166	429	4106	4179

Hinge flaps only available in PV design

Master Telecom

4180	4107	486	4167


RJ11

449	4248	4249	450

RJ12 & RJ45 cat 6 are available to special order

RJ45 CAT 5

451	4252	4253	452



PST (Edwardian)

Non Isolated TV/Satellite Sockets. Black Interiors.

1 gang TV	2 gang TV	1 gang Satellite	1 x Satellite & 1 x TV	Duplex TV/FM shielded	TV / FM / Sat shielded	Sat 1 / Sat 2 / TV / FM shielded	SKY+ Sat 1 / Sat 2 / TV / Radio / Return / Slave Telecom
484	485	4164	4105	443	4165	498	435



PV (Flat Victorian)

Isolated TV Sockets. Black Interiors. Hinge flaps available in PV design only.

431	453	432	454
1 gang TV/FM	1 gang TV/FM	Double Duplex 2 gang TV/FM	Double Duplex 2 gang TV/FM



TR (Tudor)

NB. When using PV Flat Victorian plates, it is imperative that the grid box used is secured below plaster depth. This is to accommodate the construction of the plate and insert, so allowing the plate to sit flush to the wall.